

Dog Information

Theodore the Rough Rider of Pine River Male NAME SEX

Newfoundland July 28th, 2017
BREED ANCESTRY DATE OF BIRTH

American Kennel Club (AKC) n/a
REGISTRATION MICROCHIP

Edwin Freed OWNER NAME

Canine Genetic Health Screen

TEST

October 10th, 2023

TEST DATE

#### **BREED HEALTH TESTS**

DISEASE	GENE	GENOTYPE	RESULT	TESTING RECOMMENDED BY
Cystinuria Type I-A	SLC3A1 (Exon 2)	СС	Clear	•
Degenerative Myelopathy, DM	SOD1A	GG	Clear	
Thrombopathia	RASGRP1 Exon 8	СС	Clear	×
Ullrich-like Congenital Muscular Dystrophy	COL6A1 Exon 3	GG	Clear	×





### Dog Information

Theodore the Rough Rider of Pine River NAME

#### **INBREEDING AND DIVERSITY**

Genetic Diversity	RESULT	GENETIC RESULT
Coefficient Of Inbreeding		16%
MHC Class II - DLA DRB1		High Diversity
MHC Class II - DLA DQA1 and DQB1		High Diversity

### Dog Information

Theodore the Rough Rider of Pine River NAME

### TRAIT TESTS (1/3)

Cast Color RESULT   E Locus (MCIR) No dark mask or grizzle EE   K Locus (CBD103) More likely to have a mostly solid black or brown coat K <sup>B</sup> K <sup>B</sup> Intensity Loci LINKAGE No impact on coat pattern Dilute Red Pigmentation   A Locus (ASIP) Not expressed as   D Locus (MLPH) Dark areas of hair and skin are not lightened DD   Cocoa (HPS3) No co alleles, not expressed NN   B Locus (TYRP1) Black or gray hair and skin Bb   S Addle Tan (RALY) Not expressed NN   S Locus (MITF) Likely solid colored, but may have small amounts of white Sp   M Locus (PMEL) No merle alleles mm   E Locus (USH2A) LINKAGE Likely roan patterned Fc			
K Locus (CBD103)  More likely to have a mostly solid black or brown coat  KBKB  Intensity Loci LINKAGE  No impact on coat pattern Pigmentation  A Locus (ASIP)  Not expressed aa  D Locus (MLPH)  Dark areas of hair and skin are not lightened DD  Cocoa (HPS3)  No co alleles, not expressed NN  B Locus (TYRP1)  Black or gray hair and skin Bb  Saddle Tan (RALY)  Not expressed NN  S Locus (MITF)  Likely solid colored, but may have small amounts of white Ssp  M Locus (PMEL)  No merle alleles  mm	Coat Color	RESULT	
Intensity Loci LINKAGE  No impact on coat pattern Pigmentation  A Locus (ASIP)  Not expressed aa  D Locus (MLPH)  Dark areas of hair and skin are not lightened DD  Cocoa (HPS3)  No co alleles, not expressed NN  B Locus (TYRP1)  Black or gray hair and skin Bb  Saddle Tan (RALY)  Not expressed NN  S Locus (MITF)  Likely solid colored, but may have small amounts of white Ssp  M Locus (PMEL)  No merle alleles  mm	E Locus (MC1R)	No dark mask or grizzle	EE
A Locus (ASIP)  Not expressed aa  D Locus (MLPH)  Dark areas of hair and skin are not lightened DD  Cocoa (HPS3)  No co alleles, not expressed NN  B Locus (TYRP1)  Black or gray hair and skin Bb  Saddle Tan (RALY)  Not expressed NN  Likely solid colored, but may have small amounts of white Ssp  M Locus (PMEL)  No merle alleles mm	K Locus (CBD103)	More likely to have a mostly solid black or brown coat	K <sup>B</sup> K <sup>B</sup>
D Locus (MLPH)  Dark areas of hair and skin are not lightened  DD  Cocoa (HPS3)  No co alleles, not expressed  NN  B Locus (TYRP1)  Black or gray hair and skin  Bb  Saddle Tan (RALY)  Not expressed  NN  S Locus (MITF)  Likely solid colored, but may have small amounts of white  Ssp  M Locus (PMEL)  No merle alleles  mm	Intensity Loci LINKAGE	No impact on coat pattern	Dilute Red Pigmentation
Cocoa (HPS3)  No co alleles, not expressed NN  B Locus (TYRP1)  Black or gray hair and skin Bb  Saddle Tan (RALY)  Not expressed NN  S Locus (MITF)  Likely solid colored, but may have small amounts of white Ssp  M Locus (PMEL)  No merle alleles mm	A Locus (ASIP)	Not expressed	aa
B Locus (TYRP1)  Black or gray hair and skin  Bb  Saddle Tan (RALY)  Not expressed  NN  S Locus (MITF)  Likely solid colored, but may have small amounts of white  Ssp  M Locus (PMEL)  No merle alleles  mm	D Locus (MLPH)	Dark areas of hair and skin are not lightened	DD
Saddle Tan (RALY)  Not expressed NN  S Locus (MITF)  Likely solid colored, but may have small amounts of white Ssp  M Locus (PMEL)  No merle alleles mm	Cocoa (HPS3)	No co alleles, not expressed	NN
S Locus (MITF)  Likely solid colored, but may have small amounts of white Ssp  M Locus (PMEL)  No merle alleles mm	B Locus (TYRP1)	Black or gray hair and skin	Bb
M Locus (PMEL)  No merle alleles mm	Saddle Tan (RALY)	Not expressed	NN
PLANTA (USUBA) LINIKA OF	S Locus (MITF)	Likely solid colored, but may have small amounts of white	Ssp
R Locus (USH2A) LINKAGE  Likely roan patterned Rr	M Locus (PMEL)	No merie alieles	mm
	R Locus (USH2A) LINKAGE	Likely roan patterned	Rr

### Dog Information

Theodore the Rough Rider of Pine River NAME

### TRAIT TESTS (2/3)

Coat Color	RESULT	GENETIC RESULT
H Locus (Harlequin)	No harlequin alleles	hh
Other Coat Traits	RESULT	GENETIC RESULT
Furnishings (RSPO2) LINKAGE	Likely unfurnished (no mustache, beard, and/or eyebrows)	II
Coat Length (FGF5)	Likely long coat	тт
Shedding (MC5R)	Likely heavy/seasonal shedding	СС
Hairlessness (FOXI3) LINKAGE	Very unlikely to be hairless	NN
Hairlessness (SGK3)	Very unlikely to be hairless	NN
Oculocutaneous Albinism Type 2 (SLC45A2) LINKAGE	Likely not albino	NN
Coat Texture (KRT71)	Likely straight coat	CC
Other Body Features	RESULT	GENETIC RESULT
Muzzle Length (BMP3)	Likely medium or long muzzle	СС
Tail Length (T)	Likely normal-length tail	СС
lind Dewclaws (LMBR1)	Likely to have hind dew claws	СТ

### Dog Information

Theodore the Rough Rider of Pine River NAME

### TRAIT TESTS (3/3)

Other Body Features	RESULT	GENETIC RESULT
Blue Eye Color (ALX4) LINKAGE	Less likely to have blue eyes	NN
Back Muscling & Bulk, Large Breed (ACSL4)	Likely heavy muscling	тт
Body Size	RESULT	GENETIC RESULT
Body Size (IGF1)	Larger	NN
Body Size (IGFR1)	Larger	GG
Body Size (STC2)	Larger	тт
Body Size (GHR - E191K)	Larger	GG
Body Size (GHR - P177L)	Larger	CC
Performance	RESULT	GENETIC RESULT
Altitude Adaptation (EPAS1)	Normal altitude tolerance	GG
Appetite (POMC) LINKAGE	Normal food motivation	NN